

AN ORDINANCE AMENDING THE ZONING ORDINANCES OF FISHERS, INDIANA -

Ordinance No. 100996 B

AN ORDINANCE AMENDING THE ZONING ORDINANCES OF FISHERS, INDIANA - 1980.

AMENDED AS FOLLOWS: ORDINANCES - 1980, ORDINANCE NO. 110380, AS AMENDED, IS HEREBY THAT THE ZONING ORDINANCE, A PART OF THE COMPREHENSIVE PLAN AND BE IT ORDAINED BY THE TOWN COUNCIL OF THE TOWN OF FISHERS, INDIANA,

SECTION 1. DECLARATION

as OFFICIAL ZONING MAP, TOWN OF FISHERS, INDIANA, dated November 3, 1980, amended, is hereby changed as follows: which accompanies and is a part of the Zoning Ordinances of the Town of Fishers, Indiana, as Sandstone / Gray Eagle PD, Ordinance Number 100594A, and that the Zone Map, identified That this ordinance hereby repeals and replaces the previous planned development district for

as PD That the zoning classification of the following described real estate is hereby designated

(Real Estate is described in Exhibit "A" attached hereto)

of this ordinance. applies to the real estate described above, in the particulars described in Section 2-9 inclusive That the text of the Fishers Zoning Ordinance, Ordinance Number 110380 is amended as it

SECTION 2. LAND USE

are set forth in the Development Guidelines attached hereto as Exhibit "C". hereto. The permitted land uses and development standards for parcels within this PD district location of the parcels that comprise this PD district are depicted in Exhibit "B" attached Ordinance, Ordinance No. 110380 shall be permitted in this PD district. The arrangement and 5, R-5C, and C-2 except automobile service stations of Chapter 2 of the Fishers Zoning All uses described in Residential Districts A, RR, R-1, R-2, R-3, R-3C, R-4, R-4C, R-

SECTION 3. PURPOSE

changes in design and technology in the building industry and the attributes of the real estate through the application of customary zoning regulations. This district is intended to provide more development flexibility than is possible In recognition of both the rapid

changes in a manner that will be consistent with the best interests of the entire Town. between Interstate Highway 69 and Geist Reservoir, it is deemed necessary to meet those

(A) Statement of Purpose

- Ξ planning. To encourage a more creative approach in land and building site
- \mathfrak{S} To encourage an efficient, aesthetic and desirable use of open space
- \odot To promote variety in the physical development pattern of the community.
- \mathfrak{E} will produce a wider range of choice in satisfying the changing needs of To achieve flexibility and incentives for residential development which Fishers, Indiana.
- \mathfrak{S} unusual topography, landscape amenities, and size and shape To permit special consideration of property with unique features, such as
- 6 subdivision, public improvements and siting considerations Commission by providing for concurrent review of land use, To simplify processing of development proposals for developers and the

SECTION 4. APPLICABILITY

- \mathfrak{F} described, provided. The provisions of this section shall apply only to the tract of land herein
- $^{\odot}$ the entire Planned Development may be designated. lots, or acreage, not the lot; provided, however, divisible geographic sections of The basic land unit of this PD District is the block, parcel, tract, combination of
- Ξ efficiency in street patterns and areas for parking adequate for the principals of good design, and must provide standards of open space, environment of stable and desirable character in keeping with the A proposed Development Plan shall be designed to produce an occupancy proposed.
- \mathcal{O} determination of land use intensity shall be declared, and the Before approval of a Preliminary Development Plan, a detailed Town and surrounding areas. Commission shall make a finding that said intensity is consistent with the Land Use Plan of current adoption and the best interest of the entire

SECTION 5. PROCEDURE

herein The authorization of a Development Plan shall be subject to the procedures expressed

- B following information, shall be submitted for review and approval Copies of a preliminary plan of the proposed development, containing the
- Ξ conditions. and other elements basic to the proposed use in relationship to site Proposed dimensioned layout to scale of any streets, geographic areas
- \mathfrak{S} to be developed. Proposed locations, amounts and types of uses within the area proposed
- \odot water supply site perimeter treatment and other pertinent development Proposed plan for handling vehicular traffic, sewage disposal, drainage features.
- **£** contained within the development of engineering feasibility. any other graphic mediums which will explain the features to be The preliminary plan may be an approximate drawing but it shall include
- 3 of parcels adjoining the boundary of the plan. well as the land adjacent thereto. The plan shall show names of owners proposed and the existing zoning of the area proposed to be developed as The plan shall show the boundary lines of the subject area and land uses
- 6 part of the Planned Development. An enumeration of covenants, in general terms, proposed to be made a
- 9 A statement expressing the order and estimated time of development
- $\overline{\mathbb{B}}$ may impose any reasonable conditions upon its approval, including the and approve the plan as amended, or disapprove the plan. applicable thereto. The Commission may approve the plan submitted, amend as a petition for Amendment to the Zoning Code and subject to the procedures any other desired supporting documents at a regular meeting of the Commission submitted to the Commission with sufficient copies of the preliminary plan and permanently retained in the office of the Commission. by the President and Secretary of the Commission, and one copy shall be any, shall be stamped "Approved Preliminary Development Plan" and be signed recording of covenants. If approved, the preliminary plan with amendments, if Application for approval of the Preliminary Development Plan shall be The Commission

- 0 laws governing amendment of zoning codes. Council for adoption as a "PD" Planned Development District pursuant to the The approved Preliminary Development Plan shall then be certified to the Town
- Θ that the detailed site plan is consistent with the approved Preliminary Development Plan. The approved final detailed site plan shall be stamped sewage, water supply facilities, site perimeter treatment and other pertinent site of Development, which shall thereafter exercise continuing jurisdiction. shall constitute approval of the developmental standards contained within the members of the committee, and one copy shall be permanently retained in the "Approved Final Detailed Development Plan" and be signed by any two buildings. Such approval shall be conditioned upon a finding by the committee development features including general locations and features of proposed location, composition, and detailed engineering features of all lots, drainage place, the committee shall approve a final detailed site plan specifying the exact for the conduct of any committee business. Before any development takes Development Committee. Approval by a majority of the committee is sufficient committee shall conduct its business under the title of Fishers Planned Town Board; (2) Plan Commission Chairman; and (3) Director of Department Plan shall be forwarded to a committee consisting of: (1) a representative of the Upon adoption by the Town Council, the approved Preliminary Development covenants to be recorded with each phase of the development. The Town by its office of the Commission. with the development standards as contained in the covenants. Code Enforcement officer, as designated by ordinance, shall enforce compliance Approval of the final Detailed Development Plan
- period as it deems is in the public interest. All or an appropriate part of application, for good cause shown, grants an extension of time for such Preliminary Development Plan, unless the Commission, upon proper within twelve years after adoption of the Town Council of the Approval of a detailed site plan for all of the real estate shall be obtained the Development Plan may be undertaken in sections or phases.
- \mathcal{O} designated the same as a Secondary Plat. An "Approved Final Detailed Development Plan" may mean and be
- 3 shall it impair the right of the petitioner to obtain an extension of time be construed as a denial, and any such refusal shall not operate as a limitation on the right of the petitioner to continue to seek approval nor A refusal by the Committee to approve a detailed final site plan shall not tor approval.

- **£** amendment to the Zoning Ordinance. the land will be zoned to a category adopted by the Town Council as an Commission shall initiate an amendment of the zoning ordinance so that within the twelve year period or an approved extension of time, the In the event that approval of a final detailed site plan is not obtained
- \oplus phases involved. Such partial detailed site plans, when approved, shall be may submit to the committee partial detailed site plans which correspond to the Planned Development Plan. treated in the same manner as approved final detailed site plans for an entire The petitioner may develop the property involved in phases. The petitioner
- $\widehat{\mathbf{H}}$ accordance with its regular procedures and in accordance with law. land involved is contemplated, the committee shall handle such matters in Where a platting, replatting or vacation of streets within all or a portion of the
- <u>(</u> until satisfactory plans and specifications therefore have been submitted to the No construction or installation work shall be done on any public improvements committee
- (H)changed circumstances and conditions unforeseen at the time or original consistent with the approved Preliminary Development Plan to allow for time modify the approved Final Detailed Development Plan in a manner In the exercise of its continuing jurisdiction, the Committee may from time to
- Θ cognizance of any material deviations from the approved Detailed Development Plan and take appropriate enforcement action. All development shall be in conformity with the approved detailed Development In the exercise of its continuing jurisdiction, the Committee shall take
- 9 streets, walkways and utility installations in which instance an extension of time fifty percent (50%) completed in terms of public improvements including the approval of a Final Detailed Development Plan, unless the development is Approval by the Committee shall expire after a period of twelve (12) years from may be granted by the Committee.
- R Procedure of the Commission, where not inconsistent with the procedure All proceedings brought under this section shall be subject to the Rules of

otherwise stated herein, except that notice by publication shall be sufficient Detailed Development Plan. notice for proceedings related solely to approval and modification of a Final

SECTION 6. ABANDONMENT OR EXPIRATION

approximates its then existing use or such other zoning category or categories which it deems the Zoning Code so that the land will be zoned into a category or categories which most nearly of an extension granted by the Commission), the Commission shall initiate an amendment to Detailed Development Plan for a development which has not been completed or the expiration the expiration of twelve (12) years from the approval by the Commission of a Preliminary approved final detailed Development Plan for twenty-four (24) consecutive months, or upon shall be deemed to have occurred when no improvements have been made pursuant to the appropriate. Under the abandonment of a development authorized under this section (abandonment

SECTION 7. RECORDING

two (2) years after approval by the committee. recorded in the appropriate plat books in the office of the Hamilton County Recorder within An approved Final Detailed Development Plan and modifications thereof shall be

SECTION 8. COVENANTS AND MAINTENANCE

- B provisions shall include special remedies in the event facilities held in common provisions for the ownership and maintenance of facilities held in common so as Covenants shall be required by the Commission as an ingredient for stability remedial steps provided for in such provisions the best interest of the Town, and in such event, the Town shall take those are permitted to deteriorate or are not maintained in a condition consistent with to reasonably insure their continuity and conservation. Said covenant and longevity of the Planned Development and shall set forth in detail
- \bigcirc covenants shall provide that if a governmental unit or agency thereof does not public or semi-public purpose, including, but not limited to, the allocation of proceed with acquisition of the allocated land within a specified period of time purposes wherever necessary in conformity with the Comprehensive Plan. land by the petitioner for public thoroughfares, and other public and semi-public The Commission may require the recording of covenants for any reasonable

shall be treated in the same manner as approved detailed site plans for an entire detailed site plan for such land consistent with the approved Preliminary Development Plan. the covenants shall automatically terminate. If such termination occurs, the Development Plan. petitioner shall then submit for approval by the Commission a modified final Such modified final detailed site plans, when approved,

- 0 standards may include, but are not limited to, requirements as to the following: development of property in the Planned Development. Such development reasonable purpose, including, but not limited to, imposing standards for The Commission may require the recording of covenants for any other
- Lot area;
- \odot \odot \odot Floor area;
- Ratios of floor space to land area;
- 4 for cluster type development without lot lines. Area in which structures may be built ("Buildable area"), including areas
- Setback lines and minimum yards;
- Building separations;
- **3 9 9 9** Height of structures;
- Signs;
- 9 Off-street parking and loading space;
- (10)Design standards;
- (11)Phasing of development.
- Θ required in the normal procedures of platting pursuant to the provisions of the of all public facilities in the form of bonds or such other assurances as are Subdivision Control Ordinance. The petitioner shall provide financial assurance for the satisfactory installation
- Ξ jointly shared by such property owners if such facilities are a part of the funded to accomplish its purposes which show that the private organization is self-perpetuating and adequately Development Plan, and in such instance, legal assurance shall be provided the operation and maintenance of all common facilities including private streets responsibility to, and control by, the property owners involved to provide for Adequate provision shall be made for private organization with direct

- Ŧ any governmental unit. non-discriminatory rate of charge to the beneficiary thereof. standards assuring continuous and adequate maintenance at a reasonable and not dedicated to the public shall be operated and maintained at no expense to Common facilities which are not dedicated to the public shall be maintained to Common facilities
- 9 such a manner that adequate access is provided at all times to vehicular traffic, properties contiguous or adjacent thereto, and so that said vehicles will have so that fire, police, health, sanitation and public utility vehicles can serve the All private streets shall be maintained by the aforesaid private organization in adequate turning area.

SECTION 9. LIMITATION OF REZONING

the property involved in a Planned Development before completion of the development as long proceeding in accordance with the time requirements imposed herein. as development is in conformity with the approved Detailed Development Plan, and The Plan commission shall not initiate any amendments to the Zoning Code concerning

This ordinance shall be in full force and effect from and after its passage

PASSED by the Town Council of the Town of Fishers, Indiana, on the _, 1994. W day of

By: TOWN COUNCIL, TOWN OF FISHERS, HAMILTON COUNTY, INDIANA Walter F, ames 9 .P Holland, Roederer, Kelly, President Member Member Scott Stuart F. Easley, Member Timothe O. \triangleright **Faultless** Lima, Ö Member

Deborah H. Heckart, Member

262

Page 9 - Ordinance No. 1005 76 B Sandstone / Gray Eagle PD Ordinance

ATTEST:

Linda Gaye Cordell, Clerk-Treasurer

Town of Fishers, Indiana

Noblesville, Indiana 46060. This instrument prepared by Douglas B. Floyd, Attorney at Law, 970 Logan Street,

EXHIBIT A

Gray Eagle Land Description

A part of the East Half of the Northeast Quarter, Section 34 and part of Section 35, both in Township 18 North, Range 5 East of the Second Principal Meridian, Fall Creek Township, Hamilton County, Indiana and described as follows:

North 89 degrees 29 minutes 46 seconds East along the South line of said quarter quarter section; section a distance of 1317.08 feet to the Southeast corner of said quarter quarter section; 19 seconds West parallel with the North line of said Section 34 a distance of 1276.21 feet to the West line of the East Half of the Northeast Quarter of said Section 34; thence South County Recorder; thence South 00 degrees 02 minutes 53 seconds East along the East line of said Shonkwiler tract and parallel with the East line of said Section 34 a distance of of said Section 34, said point being the Northeast corner of a tract of land conveyed to quarter quarter section a distance of 1276.08 feet to a point 50.00 feet west of the East line thence North 89 degrees 25 minutes 19 seconds East parallel with the North line of said based on the Indiana State Plane Coordinate System, East Zone (NAD 1983)) along the West line of the Northeast Quarter of said Northeast Quarter a distance of 1311.00 feet; of said Section 35, a distance of 131.80 feet; thence South 00 degrees 30 minutes 40 as recorded in the Office of the Hamilton County Recorder, the following two (2) calls distance of 1331.58 feet to the Southwest corner of said quarter quarter section; thence corner of the Southeast Quarter of the Northeast Quarter of said Section 34; thence North 00 degrees 02 minutes 07 seconds East along said West line 770.87 feet to the Southwest Shonkwiler by Warranty Deed recorded as Inst. No. 8628560 in the Office of the Hamilton Section 34; thence South 00 degrees 02 minutes 07 seconds East (an astronomic bearing 33 minutes 14 seconds East along the South line of said Southwest Quarter a distance of seconds East 220.01 feet to the South line of said quarter section; thence North 89 degrees degrees 33 minutes 14 seconds East parallel with the South line of the Southwest Quarter being along the Northerly and Easterly sides of said Wadsworth tract; thence North 89 Northwest corner of a tract of land conveyed to Wadsworth by Deed Record 313 page 175 thence South 00 degrees 11 minutes 55 seconds East along the West line of the Southeast the West line of the Northwest Quarter of the Southwest Quarter of said Section 35, a 89 degrees 36 minutes 37 seconds East along the South line of said quarter quarter section 580.00 feet to the Southeast corner of said Shonkwiler; thence South 89 degrees 25 minutes Beginning at the Northwest corner of the Northeast Quarter of the Northeast Quarter of said County Recorder; thence North 00 degrees 26 minutes 46 seconds West along the West line Concannon by Deed Record 359 page 795 as recorded in the Office of the Hamilton 580.06 feet (580.90 feet by deed) to the Southwest corner of a tract of land conveyed to Quarter Corner of Section 35; thence South 00 degrees 09 minutes 07 seconds East along 1325.91 feet to the East Quarter Corner of said Section 34, said point also being the West Quarter of the Southwest Quarter of said Section 35 a distance of 1112.90 feet to the

615.37 feet; thence North 89 degrees 25 minutes 55 seconds East 737.00 feet to the East line of the Northeast Quarter of said Section 35; thence North 00 degrees 21 minutes 37 thence North 00 degrees 16 minutes 25 seconds West along the East line of said quarter seconds East along the South line of the Northwest Quarter of the Southeast Quarter of said the Southwest Quarter of said Section 35, said point being the Northeast corner of a tract of thereof; thence North 89 degrees 33 minutes 14 seconds East 225.87 feet to the East line of seconds West along the West line of said Floyd tract 220.00 feet to the Northwest corner the Office of the Hamilton County Recorder; thence North 00 degrees 26 minutes 46 corner of a tract of land conveyed to Floyd by Deed Record 221 page 285 as recorded in 89 degrees 33 minutes 14 seconds East along said South line 50.00 feet to the Southwest Hamilton County Recorder; thence South 00 degrees 26 minutes 46 seconds East along the conveyed to Williamson and recorded as Deed Record 297 page 2 in the Office of the degrees 33 minutes 14 seconds East 330.00 feet to the Northeast corner of a tract of land of said Concannon tract 220.00 feet to the Northwest corner thereof; thence North 89 corner of a tract of land conveyed to Albertson by Deed Record 300 page 694 and recorded degrees 18 minutes 24 seconds West along said North line 352.69 feet to the Northeast minutes 23 seconds West 73.08 feet; thence North 22 degrees 16 minutes 13 seconds East North 44 degrees 41 minutes 00 seconds West 57.28 feet; thence North 17 degrees 05 thence North 68 degrees 34 minutes 19 seconds East 208.93 feet; thence North 04 degrees seconds East 276.96 feet; thence North 29 degrees 06 minutes 39 seconds West 83.24 feet; degrees 13 minutes 24 seconds East 33.97 feet; thence North 41 degrees 14 minutes 34 Creek; thence North 35 degrees 00 minutes 21 seconds East 56.80 feet; thence North 42 centerline of Mud Creek, the following eleven (11) calls being along the centerline Mud Northeast Quarter; thence South 89 degrees 22 minutes 21 seconds West 1810.11 feet to the seconds West along said East line 866.90 feet to the North line of the South Half of said minutes 17 seconds East 582.86 feet; thence North 00 degrees 21 minutes 37 seconds West Northerly sides of said Hamilton Southeastern School tract; thence North 89 degrees 26 Hamilton County Recorder, the following two (2) calls being along the Westerly and Hamilton Southeastern Schools by Inst. No. 9112973 and recorded in the Office of the quarter section 1190.80 feet to the Northwesterly corner of a tract of land conveyed to the Section 35 a distance of 1320.29 feet to the Southeast corner of said quarter quarter section; Southeast Quarter of said Southwest Quarter; thence North 89 degrees 30 minutes 54 East line of said Southwest Quarter a distance of 1114.23 feet to the Northeast corner of the Hamilton County Recorder; thence North 00 degrees 14 minutes 43 seconds West along the land conveyed to Haines and recorded as Deed Record 295 page 584 in the Office of the East line of Williamson 220.00 feet to the South line said Southwest Quarter; thence North minutes 06 seconds East 190.00 feet; thence South 89 degrees 18 minutes 24 seconds West Easterly, Southerly and Westerly sides of said Albertson tract; thence South 00 degrees 28 in the Office of the Hamilton County Recorder, the following three (3) calls being along the 23 minutes 16 seconds East 324.13 feet; thence North 33 degrees 17 minutes 45 seconds line of said Northeast Quarter and being the Northwesterly corner of said Albertson tract; 311.01 feet; thence North 00 degrees 28 minutes 06 seconds West 190.00 feet to the North 147.06 feet to the North line of the Northeast Quarter of said Section 35; thence South 89 West 101.24 feet; thence North 00 degrees 57 minutes 07 seconds East 256.07 feet; thence

of said Northeast Quarter; thence South 89 degrees 18 minutes 24 seconds West along said three (3) calls being along the Easterly, Southerly and Westerly sides of said Mclean tract; thence South 00 degrees 28 minutes 06 seconds East 484.24 feet; thence South 89 degrees the East Half of the Northeast Quarter of above said Section 34 a distance of 1325.35 feet thence South 89 degrees 23 minutes 30 seconds West along the North line of the Northwest No. 9535755 as recorded in the Office of the Hamilton County Recorder, the following the Northeasterly corner of a tract of land conveyed to Maclean Landscape, Inc. by Inst. thence South 89 degrees 18 minutes 24 seconds West along said North line 60.00 feet to to the point of beginning. Section 35; thence South 89 degrees 25 minutes 19 seconds West along the North line of Quarter of said Section 35 a distance of 2622.84 feet to the Northwest corner of said North line 25.00 feet to the Northwest corner of the Northeast Quarter of said Section 35; West 484.25 feet to the Northwest corner of said Mclean tract and also being the North line 18 minutes 24 seconds West 444.90 feet; thence North 00 degrees 14 minutes 43 seconds

Hamilton County, Indiana and being more particularly described as follows: Township 18 North, Range 5 East of the Second Principal Meridian, Fall Creek Township, ALSO that part of the Southwest Quarter of the Southwest Quarter of Section 35,

Southwest Quarter of said Southwest Quarter a distance of 264.00 feet to the South line of said Southwest Quarter; thence continue South 00 degrees 11 minutes 55 seconds East seconds West parallel with the South line of said Southwest Quarter a distance of 165.00 seconds East along said East line 1068.90 feet; thence South 89 degrees 33 minutes 14 of said Southwest Quarter a distance of 1317.08 feet to the Northeast corner of the North 89 degrees 29 minutes 46 seconds East along the North line of the Southwest Quarter said Southwest Quarter a distance of 165.00 feet to the West line of said Southwest seconds West parallel with the west line of said Southwest Quarter a distance of 396.00 Plane Coordinate System, East Zone) along the South line of said Southwest Quarter a North 89 degrees 33 minutes 14 seconds East (bearings are based on the Indiana State continue South 00 degrees 26 minutes 46 seconds West 25.00 feet more or less to the 26 minutes 46 seconds West 408.38 feet to the South line of said Southwest Quarter; thence thence South 89 degrees 33 minutes 14 seconds West 160.00 feet; thence South 00 degrees said Southwest Quarter; thence North 00 degrees 26 minutes 46 seconds West 408.38 feet; North 00 degrees 26 minutes 46 seconds West 25.00 feet more or less to the South line of parallel with the South line of said Southwest Quarter a distance of 338.16 feet; thence degrees 33 minutes 14 seconds West along said Southerly right-of-way line, also being 25.00 feet more or less to the Southerly right-of-way for 116th Street; thence South 89 feet; thence South 00 degrees 11 minutes 55 seconds East parallel with the East line of the Southwest Quarter of said Southwest Quarter; thence South 00 degrees 11 minutes 55 feet to the Northwest corner of the Southwest Quarter of said Southwest Quarter; thence Quarter; thence North 00 degrees 09 minutes 07 seconds West along said West line 935.39 feet; thence South 89 degrees 33 minutes 14 seconds West parallel with the south line of distance of 165.00 feet to the Point of Beginning; thence North 00 degrees 09 minutes 07 Commencing at the Southwest corner of the Southwest Quarter of said Section 35; thence

seconds West 25.00 feet to the Point of Beginning and containing $\frac{24.95}{36.03}$ acres more or less. Southerly right-of-way for 116th Street; thence South 89 degrees 33 minutes 14 seconds Southwest Quarter a distance of 490.00 feet; thence North 00 degrees 09 minutes 07 West along said Southerly right-of-way line, also being parallel with the South line of said

North, Range 5 East of the Second Principal Meridian, Fall Creek Township, Hamilton County, Indiana and described as follows: ALSO that part of the East Half of the Southeast Quarter of Section 34, Township 18

Beginning at the Northwest corner of the East Half of the Southeast Quarter of said Section 34; thence North 89 degrees 36 minutes 37 seconds East along the North line of said Half said Half Quarter; thence North 00 degrees 02 minutes 07 seconds West along the West 285.14 feet to the West line of the East Half of said Southeast Quarter, said point being minutes 26 seconds West 85.03 feet; thence South 89 degrees 57 minutes 53 seconds West South 57 degrees 59 minutes 11 seconds West 498.42 feet; thence South 71 degrees 38 Section 34, a distance of 987.76 feet; thence South 60 degrees 16 minutes 11 seconds West degrees 09 minutes 07 seconds East along the East line of the Southeast Quarter of said Quarter Section 1325.91 feet to the East Quarter corner of said Section 34; thence South 00 line of said Half Quarter a distance of 1608.23 feet to the Point of Beginning; 1055.00 feet North 00 degrees 02 minutes 07 seconds West from the Southwest corner of 136.27 feet; thence South 57 degrees 14 minutes 17 seconds West 500.29 feet; thence

EXCEPT THEREFROM a tract of nine-tenths (9/10) acre, more or less, described as

Beginning at a point 389.0 feet, south of the northwest corner of the northeast Quarter of the southeast quarter of Section 34, Township 18 North, Range 5 East; thence East parallel and along said West line 130.6 feet to the point of beginning. with said North line 300 feet to the West line of said Southeast Quarter; thence North on with the West line of said Southeast Quarter a distance 130.6 feet; thence West parallel with the North line of said Southeast Quarter a distance of 300 feet; thence South parallel

Sandstone Northwest Land Description

Fall Creek Township, Hamilton County, Indiana and described as follows: A part of Section 34, Township 18 North, Range 5 East of the Second Principal Meridian

minutes 31 seconds West (an astronomic bearing)along the South line of the Southeast Southwest Quarter of the Southeast Quarter of said Section 34; thence South 89 degrees 36 Beginning at a Brass plug in a cast iron monument box at the Southeast corner of the minutes 44 seconds West along the South line of the Southwest Quarter of said Section 34 Southwest corner of the Southeast Quarter of said Section 34; thence South 89 degrees 40 Quarter of said Section 34 a distance of 1314.52 feet to a PK Nail found marking the

seconds East along the East line of the Northwest Quarter and the Southwest Quarter of the Southeast Quarter of said Section 34, a distance of 2663.23 feet to the point of beginning. seconds East along the East line of said quarter quarter section 1330.95 feet to the Northeast corner of said quarter quarter section; thence South 00 degrees 02 minutes 07 quarter section a distance of 1322.76 feet to a PK Nail set this survey marking the Northwest corner of the Southwest Quarter of the Northeast Quarter of said Section 34; thence North 89 degree 31 minutes 01 seconds East along the North line of said quarter distance of 2653.78 feet to 5/8 inch iron pin with a plastic cap set this survey marking the also the North line of the Southeast Quarter of the Northwest Quarter of said Section 34 a degrees 31 minutes 23 seconds East along the North line of said quarter quarter section and of the Southwest Quarter of the Northwest Quarter of said Section 34; thence North 89 feet to a 5/8 inch iron pin with a plastic cap set this survey marking the Northwest corner the Northwest Quarter of said Section 34; thence North 00 degrees 02 minutes 11 seconds of 1328.23 feet to a stone found with an "X" cut on top marking the Southwest corner of South line of the Southwest corner of the Northwest Quarter of said Section 34 a distance quarter quarter section; thence South 89 degrees 36 minutes 37 seconds West along the a 5/8 inch iron pin with a plastic cap set this survey marking the Northwest corner of said seconds West along the West line said quarter quarter section a distance of 1329.59 feet to Southwest corner of said quarter quarter section; thence North 00 degrees 10 minutes 06 distance of 663.94 feet to a 5/8 inch iron pin with a plastic cap set this survey marking the along the South line of the Northeast Quarter of the Southwest Quarter of said Section 34 a Southwest Quarter of said Section 34; thence South 89 degrees 41 minutes 52 seconds West survey marking the Northwest corner of the East Half of the Southeast Quarter of the the Southwest Quarter of said Section 34; thence North 00 degrees 09 minutes 39 seconds Meyers tract, said point being in the West line of the East Half of the Southeast Quarter of South 89 degrees 57 minutes 25 seconds West 292.33 feet (292.49 feet by deed) to a 5/8 inch iron pin with a cap marked "Benchmark" found marking the Northwest corner of said cap marked "Benchmark" found marking the Northeast corner of said Meyers tract; thence 54 minutes 01 seconds West 342.36 feet (339.54 feet by deed) to a 5/8 inch iron pin with a being along the Easterly and Northerly sides of said Meyers tract; thence North 01 degrees No. 92-47475 in the Office of the Hamilton County Recorder, the following two (2) calls a tract of land conveyed to Donald and Sandra Meyers by Warranty Deed recorded as Inst. a distance of 361.04 feet to a PK Nail set this survey and being the Southeasterly corner of Southeast corner of said quarter quarter section; thence South 00 degrees 02 minutes 07 West along the West line of the Northwest Quarter of said Section 34 a distance of 1324.76 West along said West line 988.19 feet to a 5/8 inch iron pin with a plastic cap set this

Sandstone Southeast Land Description

Township, Hamilton County, Indiana and described as follows: both in Township 17 North, Range 5 East of the Second Principal Meridian, Fall Creek Part of the Northwest Quarter of Section 2 and part of the Northeast Quarter of Section 3

of said Section 2, a distance of 729.07 feet; thence North 00 degrees 22 minutes 13 seconds degrees 33 minutes 58 seconds East parallel with the North line of the Northwest Quarter of said Northeast Quarter a distance of 791.10 feet to a Northwesterly corner of the Plat of of said Northeast Quarter; thence North 89 degrees 27 minutes 24 seconds East along said South 00 degrees 22 minutes 13 seconds West along the Easterly line of said unrecorded in Deed Record 304, page 316 as recorded in the Office of the Hamilton County Recorder; thence North 89 degrees 27 minutes 24 seconds East parallel with the South line of said degrees 36 minutes 31 seconds West (bearings are based upon the Indiana State Plane Beginning at the Northeast corner of the Northeast Quarter of said Section 3, said point also along said North line 588.75 feet to the Southeast corner of Section 34, Township 18 North, Northeast Quarter; thence North 00 degrees 22 minutes 13 seconds East along the East line South linea distance of 1096.23 feet to a stone found marking the Southeast corner of said Subdivision as recorded in Plat Book 8,page 149, a distance of 780.00 feet to the South line plat of Holly Hills Addition and also along the Easterly line of the Plat of Welsh's Minor Coordinate System, East Zone) along the North line of said Northeast Quarter a distance of being the Northwest corner of the Northwest Quarter of said Section 2; thence South 89 seconds West 140.32 feet to the point of beginning Range 5 East of the Second Principal Meridian; thence South 89 degrees 36 minutes 31 North line of said Northwest Quarter; thence South 89 degrees 33 minutes 58 seconds West East parallel with the West line of said Northwest Quarter a distance of 2287.50 feet to the Breakwater Subdivision as recorded in Plat Cabinet No. 1, Slide No. 152; thence North 89 Northwest Quarter a distance of 299.99 feet to the Northeast corner of said Lot 6; thence Northwesterly corner of Lot 6 in the unrecorded plat of Holly Hills Addition and described 1194.60 feet; thence South 05 degrees 22 minutes 03 seconds West 2313.88 feet to the

Land Use Plan for

SANDSTONE

Parcel Number	Area	Zoning	Maximum Density	Maximum No. Lots	Proposed No. Lots
1	161.79 Ac.	R3-C	2.91 du/Ac.	470	470
2	76.59 Ac.	R5-C	4.84 du/Ac.	370	264
3	15.84 Ac.	R2	n/a	n/a	n/a
4	5.60 Ac.	C1	n/a	n/a	n/a
5	28.80 Ac.	R5-C	4.84 du/Ac.	139	100
8	63.69 Ac.	R3-C	2.91 du/Ac.	185	185
7	33.69 Ac.	R3	2.91 du/Ac.	98	58
Total	386.00 Ac.	***************************************			1077

1077 (2.79 Units/Acre)

Proposed Right of Way

116th Street (West of Brooks School Raod) - 70' half 116th Street (East of Brooks School Raod) - 50' half Brooks School Road - 40' half




EXHIBIT B Page 1 of 2

EXHIBIT "C"

Development Guidelines

Sandstone/Gray Eagle

Planned Unit Development

Fishers, Indiana

October 1996

STATEMENT OF PURPOSE AND INTENT

both the recreational and environmental components play an integral part in creating a unique living environment. Sandstone/Gray Eagle is a planned community. While its primary focus is residential,

creativity in design, sensitivity to the natural characteristics of the site and compatibility of this planned community. land uses, a commitment is made to the future of the community. The Sandstone/Gray Eagle development standards are intended to carry out the goals of They are written to ensure a unified, quality development. Through

community which can respond to changing market conditions The following principles will be used in guiding development towards a planned

- -Хheights and density of buildings, open space, street widths and parking Encouraging FLEXIBILITY in site design with respect to building spacing
- -Хregulations. be possible through the strict application of the local zoning and subdivision Allowing a variety of CREATIVE SOLUTIONS to project design that may not
- -Хresidential, recreational, and community services Encouraging a mixed-use, MASTER PLANNED community providing for
- -Xattractive development opportunities. Encouraging INNOVATIONS in land use that result in the availability of
- -X-Maximizing the UNIQUE physical features of Sandstone/Gray Eagle
- -Х-POLICIES of the local governmental agencies Creating development patterns and project design that further the GOALS and
- ٠Х٠ Providing appropriate TRANSITIONS between land uses while encouraging an overall community focus
- -Х-TRANSFERRED between parcels Providing FLEXIBILITY for both land use type and density to

II. AUTHORITY

AUTHORITY

subject, or where the plan commission or council provides changes. governmental entity shall apply where the provisions of this guide do not address a specific development of The Sandstone/Gray Eagle, superseding existing zoning and subdivision standards for review, approval, and modification of all development activities occurring on ordinances. The Sandstone/Gray Eagle site. Planned Development. The regulations and requirements shall become the governing These standards shall apply to all property contained within Sandstone/Gray Eagle The subdivision and zoning ordinances and regulations of the appropriate Provisions of this guide shall prevail and govern the

III. LAND USE STANDARDS

Planned Unit Development: There are four primary land use categories within the Sandstone/Gray Eagle conceptual

TOTAL	Commercial 5.6 Ac.	Community Services	Residential	USE	
950.9 Ac.	241./ Ac. 5.6 Ac.	19.24 Ac.	684.36 Ac.	AREA	
100%	0.6%	2.0%	80.0%	% TOTAL	
	4	_C ن	1, 2, 5-7	PARCELS	SANDSTONE
	8, 9, 11, 12	10	1-7	PARCELS	GRAY EAGLE

Includes surface area of open water bodies

A. DEVELOPMENT DENSITY

development shall not be exceeded without a formal amendment to the Planned Development density per parcel and the total of 2001 dwelling units for the Sandstone/Gray Eagle dwelling units. The density permitted on any parcel is a gross overall density. is determined Modifications of ten percent (10%) to parcel boundaries shall be permitted when final design residential parcel densities are added together, this total shall not be greater than 2001 Transfer of densities is permitted between parcels for flexibility purposes. When all The maximum

following maximum gross development densities, expressed in terms of the number of the following Fishers zoning classifications: R-1, R-2, R-3, R-3C, and R-5C, shall have the into five (5) different development density classifications that are approximately equivalent to specified in the following pages. Individual residential land use parcels shall be categorized Dwelling Units (DU) per gross acre (AC): Development density maximums shall be determined on a parcel by parcel basis as

1	ı	ı	1	1	1	
Overall Project	R-5C	R-3C	R-3	R-2	R-1	Equivalent Zoning
oject	•			•		Zoning
2.1 DU per acre	4.84 units DU/AC	2.91 units DU/AC	2.91 units DU/AC	2.50 units DU/AC	2.00 units DU/AC	<u>Density</u>

separate sub-districts, as defined below: parcel of the PD district will be limited. The overall PD district shall be divided into three the Sandstone/Gray Eagle PD, the maximum number of lots in this PD district and in each For the purposes of predicting population size and maintaining public service capacities within

SANDSTONE NORTHWEST - Sandstone Parcels 1-4

SANDSTONE SOUTHEAST - Sandstone Parcels 5-7

GREY EAGLE - Gray Eagle Parcels 1-12

the maximum number of lots for the individual residential parcels. However, the maximum each sub-district, as shown in Table I. The maximum number of lots for the sub-districts are number of lots for each parcel. Instead, there shall be a maximum number of lots allowed for number of lots for each sub-district shall not be equal to the aggregate of the maximum as follows: Development densities as set forth in Table I for each individual parcel shall determine

SANDSTONE NORTHWEST - 808 lots maximum

SANDSTONE SOUTHEAST - 343 lots maximum

GREY EAGLE - 850 lots maximum

If one or more of the individual parcels that form each subdistrict reaches its maximum development density, then the density of another parcel or other parcels may have to be reduced to keep the total number of lots from exceeding the maximum number established herein.

TABLE I - Land Use Data

Land Use Data: Gray Eagle Sub-district

3.	The old Maximum number of units (690) will increase to (850) due to the addition of new real estate	Il increase to (850) due to tr	units (690) wil	num number of	The old Maxin
				564.9	Totals:
n/a	n/a	Golf Course	R2	38.1	13
n/a	n/a	Golf Course	R2	20.9	12
n/a	n/a	Golf Course	R2	127	11
n/a	n/a	Pool and Tennis	R2	3.4	10
n/a	n/a	Golf Academy	R2	40.7	9
n/a	n/a	Horse Training Area	Α	15	8
79	2.5	Single Family	R2	31.8	7
63	2.91	Single Family	R3-C	21.8	0
110	3.48	Single Family	R4-C	31.8	5
50	2.5	Single Family	R2	20	4
254	2.91	Single Family	R3-C	87.5	ω
113	2.5	Single Family	R2	45.4	2
106	2.91	Single Family	R3	36.7	2
14	2	Single Family	R1	7	2
109	2.91	Single Family	R3-C	37.8	1
of Lots	(Units / acre)	LAND USE	ZONING	AREA	NUMBER
Maximum Number	MAX DENSITY				PARCEL
			,		

Land Use Data: Sandstone Northwest Sub-district

		The old and new Maximum number of units will remain at 808.	umber of units	ew Maximum n	The old and ne
				259.82	Totals:
n/a	n/a	Professional Office	C-1	5.6	4
n/a	n/a	Park	R2	15.84	ပ
370	4.84	Single Family	R5-C	76.59	2
4/0	2.91	Single Family	R3-C	161.79	1
of Lots	(Units / acre)	LAND USE	ZONING	AREA	NUMBER
Maximum Number	MAX DENSITY				PARCEL

Land Use Data: Sandstone Southeast Sub-district

		The old and new maximum number of units will remain at 343.	umber of units	ew maximum n	The old and no
				126.18	Totals:
98	2.91	Single Family	R3	33.69	7
185	2.91	Single Family	R3-C	63.69	თ
139	4.84	Single Family	R5-C	28.8	5
of Lots	(Units / acre)	LAND USE	ZONING	AREA	NUMBER
Maximum Number	MAX DENSITY				PARCEL

Land Use Data: Overall Development

2001	2.1			950.9	Totals:
of Lots	(Units / acre)	LAND USE	ZONING	AREA	
Maximum Number	*MAX DENSITY				

^{*}Same gross density as original PD Ordinance.

B. RESIDENTIAL DEVELOPMENT STANDARDS

will not be regulated, but will be determined by the parcel development density and setback Planned Development. Minimum lot sizes, minimum lot widths, and maximum lot coverage or amended zoning code, the Planned Development developmental standards shall rule. identify generally equivalent development standards. When there is a conflict with the existing requirements. construction of improvements for the residential parcels within the Sandstone/Gray Eagle The following Tables shall establish certain developmental standards for the Reference to Fishers Zoning Classifications are used to describe landuse and

TABLE II - SANDSTONE

13	2	2	2	Off-street Parking Spaces
1,500 1,800	1,400 1,800	1,400 1,800	1,200 1,500	Minimum Floor Area 1-story 2-story (Excluding garages, porches, etc.)
5.5	35 ¹	35 25	35' 25'	Maximum Building Height Primary Accessory
100'	90'	None	None	Minimum Lot Width (Measured at Building Setback Line)
20'	20'	20'	20'	Minimum Lot Frontage (Measured at Right-of-Way)
40' 4'	30' 3'	30' 3'	25' 2.5'	Rear Yard Setback 10% Deviation
ώ	7.	<i>ō</i> '	12; * 12;	Side Yard Setback Aggregate Minimum Building Separation
30' 35'	25' 30'	25' 30'	25' 30'	Front Yard Setback Local Collector
SSR-2	SSR-3	SSR-3C	SSR-5C	DEVELOPMENTAL STANDARD

^{*} Zero lot line (ZLL) development may be allowed in these density classifications. If ZLL development is proposed, the minimum side yard setback is 0° .

TABLE III - GREY EAGLE

DEVELOPMENTAL STANDARD	GER-5C	GER-3C	GER-3	GER-2
Front Yard Setback Local	25'	25'	25'	30'
	30'	30'	30'	35'
Side Yard Setback	1) *6	6	7'	ω̄
Aggregate Minimum Building Separation	12			
Rear Yard Setback	25'	3°0'	30'	4, 40
(Measured at Right-of-Way)	20'	20'	20'	20'
Minimum Lot Width (Measured at Building Setback Line)	None	None	90'	100'
Maximum Building Height Primary	35 _.	Ω _i	35'	35.
Accessory	25'	25'	25'	25'
Minimum Floor Area 1-story 2-story	1,200 1,500	1,400 1,800	1,400 1,800	1,500 1,800
(Excluding garages, porches, etc.)				********
Off-street Parking Spaces	2	2	2	2

^{*} Zero lot line (ZLL) development may be allowed in these density classifications. If ZLL development is proposed, the minimum side yard setback is 0'.

specified in Tables II and III, except as follows: All improvements on lots within individual parcels must adhere to the Development Standards

- allowed to deviate from any or all of the Front Yard, Side Yard, Rear Yard up to thirty-three percent (33%) of the lots within any individual parcel may be amount allowed in the Tables (approximately 10%). Setback, and minimum lot width requirements listed in Tables II and III by the
- setback deviations shall be allowed for additional lots. are allowed such deviation. When the 33% figure is reached, no additional be recorded as one of the lots that constitute 33% of the lots in the parcel that including garages. Once a lot is recorded as having a setback deviation, it shall Deviations from the setback requirements shall only apply to dwelling units

C. ZERO LOT LINE DEVELOPMENT

approved by the PD Committee. If ZLL development is desired by the developer, then all lots Tables II and III) from a property line. have windows on exterior walls that lie within the required side yard setback (as set forth in ZLL development is proposed, then dwelling units within ZLL areas shall not be allowed to within a designated parcel must be laid out with the appropriate dwelling unit separations. classifications. Secondary development plans for ZLL development shall be reviewed and Zero lot line (ZLL) development may be allowed within the R-5C and R-3C density

screening techniques shall be employed to buffer the visual impact of the higher density area separated by a roadway, golf course or water body, etc.), transitional landscaping and whether the ZLL perimeter is a side or rear yard. A minimum perimeter setback of 20' shall also be required in such instances, regardless of Where a ZLL development directly abuts a lower density residential area (i.e., is not

Land Use Plan for

ZDSTONE




EXHIBIT B Page 1 of 2




EXHIBIT B Page 2 of 2