



ORDINANCE NO. 122120G
AN ORDINANCE TO AMEND THE
UNIFIED DEVELOPMENT ORDINANCE OF THE
CITY OF FISHERS, HAMILTON COUNTY, INDIANA

This is an ordinance to amend the text of the Unified Development Ordinance of the City of Fishers, Indiana, Ordinance No. 090605A (the "UDO") previously enacted by the Town of Fishers pursuant to its authority under the laws of the State of Indiana, IC 36-7-4 eI *seq.*, as amended.

SECTION 1. DECLARATION

The text of the UDO and the Official Zoning Map of the City of Fishers, Indiana, which accompanies and is part of the UDO, as amended, are hereby amended as follows:

The following described Real Estate is hereby zoned as PUD-R and this ordinance shall hereinafter be referred to as the Vermillion PUD Ordinance:

SEE "EXHIBIT A" ATTACHED HERETO.

SECTION 2. PURPOSE AND INTENT

The purpose and intent of this Vermillion PUD Ordinance is to provide an innovative residential development that promotes creativity and flexibility in the development of the Real Estate and to provide for the housing needs of a broad spectrum of the Fishers housing market. Ordinance No. 091916E is repealed in its entirety, and this Vermillion PUD Ordinance replaces and supersedes Ordinance No. 091916E.

SECTION 3. LAND USE

Single family residential. Community market areas are established within the PUD to include varying lot sizes, common features and amenities to serve the needs of multiple home buying markets in a way which will fit harmoniously within the surrounding land uses and development patterns.

SECTION 4. CONCEPTUAL DEVELOPMENT PLAN

The Concept Plans, attached hereto as "Exhibit B", are hereby incorporated. The Real Estate's Development Plan shall be substantially consistent with the Concept Plans and shall be reviewed and approved based upon compliance with the development and design standards set forth herein. Article 9.18(M)(1) shall not apply regarding Concept Plans. If the Director determines that a Development Plan is not substantially consistent with the Concept Plans (the "Director's Determination"), then the Director shall notify the applicant within fifteen (15) days of receipt of the submitted Development Plan of: (1) the Director's Determination; and (2) whether the Development Plan is (a) approved or; (b) not approved (the "Director's Decision"). The Director's Decision shall be based upon the Development Plan's compatibility and consistency with the intended quality and character of the Vermillion PUD. If the Director's Decision does not approve the Development Plan, then the applicant may submit the Development Plan to the City Council for review and approval. The City Council's decision shall be made at a public meeting, but no additional public hearing shall be required.

SECTION 5. DEVELOPMENT STANDARDS.

The development, landscaping and parking standards applicable to the Residential R-2 zoning district shall apply except as modified by this ordinance.

A. Overall PUD Acreage and Density Standards

Total Acreage: 378 +/- Maximum Number of Lots: 626
 Maximum Density: 1.65
 Minimum Common Areas/Parks/Conservation Areas: 122 acres

Area	A	B	C	D	E
Land Use Description	Active Adult/ Empty Nester	Single-Family Estate	Single-Family Custom	Single-Family	Single-Family
Maximum Number of Lots	76	54	89	136	272
Acres (+/-) ¹	69.88	55.35	68.10	76.95	108.83
Minimum Lot Area SF	7,800	17,600	15,000	12,150	9,100
Minimum Lot Width at Building Line	65'	110'	100'	90"	70'
Minimum Corner Lot ² Width at Building Line	73'	119'	110'	90'	90'
Minimum Lot Depth	120'	160'	150'	135'	130'
Minimum Front Yard Setback	20'	30'	30'	30' ¹³	30'
Minimum Side Yard (each side/aggregate)	5'/10'	10'/30'	5'/25'	5'/20'	10'/20' 7.5'/15' ⁵
Minimum Rear Yard Setback	20'	30'	30'	30'	25'
Min. Living Area (2-story/1-story)	2,200/1,800	3,200/2,800	3,000/2,600	2,400/2,000	2,000/1,800
Building Height ⁶ (2-story/1-story)	35'/20'	35'/20'	35'/20'	35'/20'	35'/20'
Parking ⁷	4 spaces	4 spaces	4 spaces	4 spaces	4 spaces
Street width (to back of curb) Collector Roads	32'	32'	32'	32'	32'
Street width (to back of curb) Non-Collector Residential Streets	26'	26'	26'	26'	26'
Street width (to back of curb) Frontage Road (Single Loaded)	22'	22'	22'	22'	22'
Maximum Impervious Surface Coverage	55% ⁸ of the Lot Area	35% of the Lot Area	35% of the Lot Area	40% ⁹ of the Lot Area	45% of the Lot Area
Connecticut Avenue	Developer will work with the City of Fishers Community Development Department to establish street width design standards for Connecticut Avenue with the goal to preserve the existing tree line to the extent possible.				

¹ Maximum number of lots may vary within each area by five percent (5%); however, the total maximum number of lots within the PUD will not be exceeded.

² Acreage may vary within each area by ten percent (10%).

³ 85' minimum for up to twenty- five percent (25%) of the lots.

⁴ Lots identified on Exhibit "J" shall not be considered Corner Lots.

⁵ This standard shall only apply to the home-sites identified on Exhibit "I", attached hereto, that include 3rd car garages.

⁶ Refers to maximum building height for primary/accessory structures.

⁷ Refers to minimum off-street parking spaces and includes the number of spaces inside a garage and on a driveway.

⁸ Up to 20% of the lots in Area A may exceed 55% coverage (up to a maximum of 59% coverage).

⁹ Up to 20% of the lots in Area I may exceed 40% coverage (up to a maximum of 45% coverage).

¹³ Lots numbered 288, 289, 291, 292, 297 and 300 in Woods at Vermillion, Sec 4 shall have a minimum front yard setback of 20'.

B. Parkland Dedication

- 1) The permitted use for the area designated as “Creekside Park” on the Concept Plan shall be Park. The Creekside Park area shall count towards both the Overall PUD Acreage and Density Standards and the Minimum Common Area/Parks/Conservation Areas.
- 2) The area identified as “Flat Fork Creek Area” (which includes the area west of the creek’s centerline and an area thirty feet (30’) east of the creek’s centerline) shall be common area. If the City acquires the property immediately west of this area, then this area shall be dedicated to the City of Fishers.

C. Trail Area

- 1) The City of Fishers shall have the right to send to the Owner of the Real Estate a written notice (the “Notice”) from the City that: (i) requests the Owner to grant the City the right to construct, use and maintain a public trail on the Real Estate within the area that is 30’ east and/or west of the Flat Fork Creek centerline (the “Trail Area”); (ii) includes a legal description and exhibit depicting the location of the Trail Area; and (iii) includes a form of right-of-way grant that reasonably reserves access and other uses in favor of the Owner (the “ROW Grant”). This provision is intended to provide the City with the option of installing some or all of the trail on the east and/or west side of the creek, but it also is the intention that the City shall endeavor to minimize any disturbance to the tree conservation area and topography located on the east side of the creek. As a result, and regardless of how the City acquires its interest in the Trail Area, the City shall use its best efforts to install improvements only on the west side of the Flat Fork Creek in order to conserve the trees and topography east of the Flat Fork Creek. Within sixty (60) days after the Owner’s receipt of the Notice, the City and the Owner shall approve the terms and conditions of the ROW Grant, and neither party shall withhold, condition or delay its approval unreasonably. Once the ROW Grant has been approved by both parties, then the Owner shall execute it and provide it to the City. The Owner, in its sole discretion, may elect to grant the City an easement instead of a right-of-way. The ROW or easement shall be granted to the City at no cost.

D. Tree Conservation Easement

- 1) A tree conservation easement (“Easement”) as approximately shown on the Tree Conservation Exhibit, attached hereto as “Exhibit C”, as “Conservation Area” shall be recorded. Within the Easement, no trees with a diameter at breast height (“DBH”) in excess of six inches (6”) or evergreens eight feet (8’) or more in height (the “Protected Trees”) shall be removed unless the tree is damaged, diseased, dead, listed as Invasive and Poor Characteristic Species as per Ordinance 080403C or is required to be removed in order to comply with safety requirements of any governmental agency. If a Protected Tree is damaged or otherwise removed by the developer or builder, except as permitted to be removed as listed above, then the developer or builder (as the case may be) shall reestablish the Protected Tree with a tree or trees of combined equal or greater DBH subject to the availability of space for their

healthy growth in the Easement under Ordinance 080403C. In addition, the clearing of woodlands as identified above and designated to be preserved shall be prohibited beyond one hundred feet (100') from a dwelling so as not to disturb the existing understory habitat (shelter, food source) of the wildlife that may live or visit the woodlands. It is acknowledged that certain areas of the woodlands will not be appropriate for the Easement due to drainage and utility needs and due to location of trails, paths, and related community amenities as will be identified at the time of the detailed development plan.

- E. The street exit lane onto 101st Street shall be located so that it is not directly opposite an existing home on the south side of 101st Street.
- F. Area "A" Active Adult & Empty Nester Design Standards
- 1) Architecture
 - Masonry shall be defined as brick, stone, cultured stone, stucco, EFIS or similar materials;
 - All homes shall have masonry, wood or other hardboard exterior siding; no vinyl siding shall be permitted; and
 - 2) Landscaping
 - Street Trees. All streets shall have street trees on both sides of the street. Street trees shall be planted a maximum of forty feet (40') on center (except where restricted by utility regulations).
 - All homes shall have sodded front and side yards. Rear yards shall be sodded or seeded.
 - All homes shall have front yard sprinkler systems installed.
 - 3) Garages
 - Any third car garage must be offset from the primary two-car garage by a minimum of two feet (2').
 - 4) Additional Standards
 - All driveways shall be concrete;
 - Uniform dusk to dawn yard or coach lights as determined by the developer shall be required in the front yard;
 - » Uniform mailboxes as determined by the developer shall be required;
 - No accessory structures and no outdoor play sets shall be permitted.
 - Individual lot lawn maintenance and snow removal shall be offered as an option by the Homeowners Association.
- G. Area "B" Estate and Area "C" Custom Area Design Standards
- 1) Architecture
 - All homes shall be built with masonry, wood, or hardboard exterior siding, no vinyl siding shall be permitted;
 - The exterior chase of fireplaces shall be masonry (unless direct vent).
 - All homes shall be built with basements or crawlspace, no slab foundations permitted (unless soils conditions on a lot are unsuitable for basement construction).
 - 2) Garages
 - No front-loading garages permitted (except third and fourth car garages that are set back a minimum of ten feet (10') from primary front facade).

- All primary garages shall be side-load, rear-load, angle-load or courtyard style.
- Decorative garage doors shall be required on all front-loading garages.
- 3) Landscaping
 - Street Trees. All streets shall have street trees on both sides of the street. Street trees shall be planted a maximum of fifty feet (50') on center (except where restricted by utility regulations).
 - All homes shall have sodded front and side yards. Rear yards shall be sodded or seeded.
 - All homes shall have front yard sprinkler systems installed.
- 4) Additional Standards
 - Dusk to dawn yard or coach lights as determined by the developer shall be required in the front yard.

H. Area "D" Single Family Design Standards

- 1) Architecture
 - All homes shall have masonry, wood or hardboard exterior siding, no vinyl siding shall be permitted;
 - All homes shall have either:
 - o (i) masonry on a minimum of fifty percent (50%) of the front elevation, not including doors, windows and other openings; or
 - o (ii) four (4) of the bullet point items from one of the specific architectural style lists must be included on the front elevation of the home. The architectural style lists are attached hereto as Exhibit "D"; or
 - o (iii) otherwise be approved by the City of Fishers PUD Committee, which approval shall be granted so long as the home elevation is substantially similar or greater in quality, character, and architectural detailing as the home elevations shown on Exhibit "D" (even though the elevation may reflect a different style).
 - A minimum of seventy-five percent (75%) of homes shall be built with basements.
- 2) Landscaping
 - Street Trees. All streets shall have street trees on both sides of the street. Street trees shall be planted a maximum of fifty feet (50') on center (except where restricted by utility regulations).
 - All homes shall have sodded front and side yards. Rear yards shall be sodded or seeded.
- 3) Garages
 - No front-loading garages permitted (except third and fourth car garages that are set back a minimum of ten feet (10') from primary front facade). All primary garages shall be side-load, rear-load, angle-load or courtyard style.
 - » Decorative garage doors with windows shall be required on all front-loading garages, as shown illustratively on Exhibit "F", attached hereto. Other decorative garage doors also shall be permitted as long as the garage doors are substantially similar or greater in quality, character, and

architectural detailing as the decorative garage doors shown on Exhibit "F".

4) Additional Standards

- All driveways shall be concrete;
- Uniform dusk to dawn yard or coach lights as determined by the developer shall be required in the front yard;
- Uniform mailboxes as determined by the developer shall be required;
- No accessory structures shall be permitted.
- Rear Yard Lights — Any home built on a home-site that is identified on Exhibit "G", attached hereto, shall utilize at least semi-cutoff luminaires for either freestanding or wall mounted rear yard lighting, and no flood lights shall be permitted. This requirement shall be included in the declaration of covenants and restrictions.

5) Model Homes

- It is anticipated that two (2) model homes will be constructed for marketing purposes within this area. One (1) of these models must exceed three thousand (3,000) square feet.

6) Overhangs

- All homes shall include the Overhang Feature, defined below in Section 5(J)(1).

I. Area "E" Single Family Design Standards

1) Architecture

- All homes shall have masonry, wood or hardboard exterior siding, no vinyl siding shall be permitted;
- All homes shall have either:
 - o (i) masonry on a minimum of fifty percent (50%) of the front elevation, not including doors, windows and other openings; or
 - o (ii) four (4) of the bullet point items from one of the specific architectural style lists must be included on the front elevation of the home. The architectural style lists are attached hereto as Exhibit "D"; or
 - o (iii) otherwise be approved by the City of Fishers PUD Committee, which approval shall be granted so long as the home elevation is substantially similar or greater in quality, character, and architectural detailing as the home elevations shown on Exhibit "D" (even though the elevation may reflect a different style).
- A minimum of seventy-five percent (75%) of homes shall be built with basements.

2) Landscaping

- Street Trees. All streets shall have street trees on both sides of the street. Street trees shall be planted a maximum of fifty feet (50') on center (except where restricted by utility regulations).
- All homes shall have sodded front and side yards, rear yards shall be sodded or seeded.

3) Garages

- Any third car garage must be offset from the primary two car garage by a minimum of two feet (2’).
- Decorative garage doors with windows shall be required on all front-loading garages, as shown illustratively on Exhibit “F”, attached hereto. Other decorative garage doors also shall be permitted as long as the garage doors are substantially similar or greater in quality, character, and architectural detailing as the decorative garage doors shown on Exhibit
- Decorative garage doors with windows shall be required on all front-loading garages, as shown illustratively on Exhibit “F-1”, attached hereto. Other decorative garage doors also shall be permitted as long as the garage doors are substantially similar or greater in quality, character, and architectural detailing as the decorative garage doors shown on Exhibit “F-

4) Additional Standards

- All driveways shall be concrete;
- Uniform dusk to dawn yard or coach lights as determined by the developer shall be required in the front yard;
- Uniform mailboxes as determined by the developer shall be required;
- No accessory structures shall be permitted.

5) Model Homes

- It is anticipated that two (2) model homes will be constructed for marketing purposes within this area. One (1) of these models must exceed twenty eight hundred (2,800) square feet.

6) Overhangs

- All homes shall include the Overhang Feature, defined below in Section 5(J)(1).

7) Gathering Spot

- A gathering feature such as a gazebo, arbor, or similar structure shall be installed in the location specified as “Gathering Spot” on the Concept Plans.

J. Additional Development and Design Standards. The following additional development and design standards shall apply to all areas.

1) Architecture

- The roofs on all primary structures shall be at a pitch of 6 vertical to 12 horizontal (6:12); provided, however, that ancillary roofs may have a lesser pitch;
- Front loading garages protruding more than eight feet (8’) from the front building line of the residence shall also contain a window on the side of the garage closest to the entry to the residence;

¹⁰ This subsection shall only apply to the home-sites that are identified on Exhibit “H”, attached hereto.

¹¹ This subsection shall only apply to the home-sites that are identified on Exhibit “I”, attached hereto.

- All homes shall incorporate a minimum total of four (4) points from the following list of “Architectural Features”:
 - Front porch equal to or greater than eight (8) feet in width and four (4) feet in depth (2 points);
 - Veranda/balcony or patio with minimum dimensions of 10’ x 10’;
 - Reverse Gable;
 - Two or more roof planes visible from the front of the Dwelling (2 points);
 - Decorative garage doors or windows in garage doors;
 - A separate overhead door per car for each garage bay;
 - No garage doors facing and parallel to the street (2 points);
 - Masonry on one hundred percent (100%) of the front elevation, excluding doors, garage doors, windows, architectural features, cantilevered areas, bay windows, and any area that does not have a supporting foundation for the brick load including, without limitation, the small area above the garage door on some models, and any areas on the façade that are above roofing materials and would thus require brick to be laid above the roof(2 points);
 - At least four feet (4’) of relief at one or more points along the front elevation;
 - Full first floor masonry, excluding doors, garage doors, windows, architectural features, cantilevered areas, bay windows, and any area that does not have a supporting foundation for the brick load including, without limitation, the small area above the garage door on some models, and any areas on the façade that are above roofing materials and would thus require brick to be laid above the roof,
 - Sunroom, screened porch, or breakfast nook;
 - Transom windows;
 - Bay window;
 - Two or more dormers;
 - Cement or fiber board siding in all areas not covered by Masonry, excluding doors, garage doors, windows, architectural features, cantilevered areas, and bay windows;
 - Hip roof,
 - More than two (2) masonry materials on the front elevation;
 - Brick detailing, either multiple quoins or other features such as arches, keystones;
 - Architectural treatments on gable ends;
 - Covered stoop/steps with a connection pathway from sidewalk;
 - Architecturally treated entrances for homes without a front porch;
 - At least two (2) feet of relief at two (2) or more points along the front elevation;
 - Architecturally enhanced /articulated trim moldings such as fipons above windows;
 - Decorative shutters on front of home;
 - Decorative front door or side lights; and
 - Decorative columns composed of wood or glass;

- Garage service door; and
 - Overhangs of eight inches (8”) or more (2 points).
 - The following additional standard shall apply to all homes in this Vermillion PUD Ordinance:
 - o Each item listed in the above Architectural Features list is worth 1 point unless otherwise noted.
 - The rear façade of dwellings designated with a black circle on Exhibit B shall incorporate one (1) or more of the following features: minimum three (3) foot masonry wainscot on all sides of the home, rear sun room, rear screened porch, rear covered patio, or any other rear façade extension.
 - The following additional standards shall apply to all homes located in Area D and all homes located in Area E:
 - o The following Architectural Feature shall be and hereby is deleted from the Architectural Features list in its entirety: “Cement or fiber board siding in all areas not covered by Masonry, excluding doors, garage doors, windows, architectural features, cantilevered areas, and bay windows”.
 - o The Architectural Feature “Overhangs of eight inches (8”) or more (2 points)” shall be and hereby is deleted and replaced in its entirety with the following: “Overhangs a minimum of eleven inches (11”) on 80% of the roof line (the “Overhang Feature”)”.
- 2) Driveways
- A third car garage may be added to residences. Any three (3) car driveway must taper to a maximum of sixteen feet (16’) wide at the lot line.
 - No driveway shall be located within twenty-five feet (25’) of the intersection of two street lines. For purposes of this subsection, driveways shall not be deemed to include the flared base of the driveway located at the intersection to the street.
- 3) Streetlights shall not exceed fifteen feet (15’) in height, and shall be located at major intersections throughout the subdivision. Each light shall have shielding to direct light downward in order to minimize light spillover.
- 4) Amenity Area. The Community Recreation Center as located on the Concept Plan shall include:
- One swimming pool of a minimum size of 1,800 square feet;
 - One wading pool of a minimum size of 140 square feet;
 - One pool house with restroom facilities;
 - One basketball court;
 - One playground containing playground equipment appropriate for preschool children through grade school children.

SECTION 6. ANTI-MONOTONY CODE.

The Anti-Monotony Code, attached hereto as “Exhibit E”, is adopted as part of this Ordinance.

¹² Depth shall be determined prior to the installation of masonry.

SECTION 7. PROCEDURES.

The adoption of this ordinance and the subsequent consideration of any Detailed and Final Development Plans (i.e. Primary and Secondary Plats) shall be consistent and pursuant to the provisions of the Planned Unit Development process as set forth in the Unified Development Ordinance.

SECTION 8. APPROVAL

This ordinance shall be in full force and effect from and after its passage by the City Council and after the occurrence of all other actions required by law. All provisions or parts thereof in conflict herewith are hereby repealed.

SO ORDAINED/RESOLVED by the Common Council of the City of Fishers, Indiana, on this
 ___15th___ day of ___February___, 2021

**COMMON COUNCIL OF THE CITY OF FISHERS,
 HAMILTON COUNTY, INDIANA**

122120G

YAY

NAY

ABSTAIN

/s/ Selina Stoller	Selina Stoller President		
/s/ David George	David George Vice President		
/s/ Pete Peterson	C. Pete Peterson, Member		
/s/ John Weingardt	John Weingardt, Member		
/s/ Cecilia Coble	Cecilia C. Coble, Member		
/s/ Brad DeReamer	Brad DeReamer, Member		
/s/ Todd Zimmerman	Todd Zimmerman, Member		
/s/ Samantha Delong	Samantha Delong, Member		
/s/ Jocelyn Vare	Jocelyn Vare, Member		

I hereby certify that the foregoing Ordinance/ Resolution was delivered to City of Fishers Mayor
 Scott Fadness on the ___15th___ day of ___February___ 2021, at ___9:53___ p. m.

ATTEST: Jennifer L. Kehl
 Jennifer L. Kehl, City Clerk

MAYOR'S APPROVAL

___/s/ Scott A. Fadness___
 Scott A. Fadness, Mayor

___February 15, 2021___
 DATE



MAYOR'S VETO

 Scott A. Fadness, Mayor

 DATE

This instrument prepared by: Christopher P. Greisl, City Attorney, City of Fishers, Hamilton County, Indiana, One Municipal
 Drive, Fishers, Indiana, 46038

"I affirm, under the penalties for perjury, that I have taken reasonable care to redact each Social Security number in this
 document, unless required by law." Christopher P. Greisl

“EXHIBIT A”

Land Description

A part of the Northeast Quarter of the Northwest Quarter of Section 8, Township 17 North, Range 6 East, a part of the Northwest Quarter of the Northeast Quarter of Section 8, Township 17 North, Range 6 East, the west half of the south half of the Northeast Quarter of Section 8, Township 17 North, Range 6 East, and a part of the Southwest Quarter of the Southeast Quarter of Section J, Township 17 North, Range 6 East located in Fall Creek Township, Hamilton County, Indiana, being described as follows:

BEGINNING at a 5/8" iron rod with yellow cap stamped 50083 marking the southeast corner of the Northeast Quarter of the Northwest Quarter of Section 8, Township 17 North, Range 6 East, thence North 31 degrees 12 minutes 12 seconds West (assumed bearing) 938.50 feet to a 3/4" iron rod (4" below the road surface) on the centerline of Connecticut Avenue, the following 4 courses are on and along the centerline of Connecticut Avenue,)1.) thence North 46 degrees 43 minutes 21 seconds East 772.68 feet to a P.K. nail marking the point of intersection of the centerline of Connecticut Avenue and the south line of the Southwest Quarter of the Southeast Quarter of Section 5, Township 17 North, Range 6 East, said point of intersection being North 89 degrees 53 minutes 45 seconds East 72.60 feet from the stone with cut cross marking the southwest corner of the Southwest Quarter of the Southeast Quarter of Section 5, Township 17 North, Range 6 East (2.) thence North 46 degrees 54 minutes 07 seconds East 258.05 feet to a P.K. nail (3.) thence North 46 degrees 33 minutes 13 seconds East 557.13 feet to a P.K. nail (4.) thence North 46 degrees 04 minutes 49 seconds East 938.00 feet to a P.K. nail marking the point of intersection of the centerline of Connecticut Avenue and the east line of the Southwest Quarter of the Southeast Quarter of Section 5, Township 17 North, Range 6 East; thence South 00 degrees 58 minutes 39 seconds West 1207.99 feet to a 5/8" iron rod with yellow cap stamped 50083 marking the southeast corner of the Southwest Quarter of said South- east Quarter; thence South 89 degrees 53 minutes 45 seconds West 989.25 feet on and along the south line of the Southwest Quarter of said Southeast Quarter to a 5/8" iron rod with yellow cap stamped 50083; thence South 00 degrees 12 minutes 33 seconds West 1331.87 feet, more or less, to a 5/8" iron rod with yellow cap stamped 50083 on the south line of the Northwest Quarter of the Northeast Quarter of Section 8, Township 17 North, Range 6 East, said 5/8" iron rod with yellow cap stamped 50083 being North 89 degrees 49 minutes 13 seconds East 330.17 feet from a 5/8" iron rod with yellow cap stamped 50083 marking the southwest corner of the Northwest Quarter of said Northeast Quarter; thence North 89 degrees 49 minutes 13 seconds East 991.28 feet, more or less, to a 5/8" iron rod with yellow cap stamped S0083 marking the northeast corner of the Southwest Quarter of said Northeast Quarter; thence South 00 degrees 07 minutes 19 seconds West 1330.55 feet to a P.K. nail marking the southeast corner of the Southwest Quarter of said Northeast Quarter; thence South 89 degrees 44 minutes 40 seconds West 1322.34 feet to the southwest corner of the Southwest Quarter of said Northeast Quarter; thence North 00 degrees 09 minutes 36 seconds East 1332.30 feet to the POINT OF BEGINNING. Containing 74.748 acres, more or less and being subject to applicable easements and rights-of-way of record.

ALSO INCLUDING:

A part of the east half of the Southwest Quarter of Section 5, Township 17 North, Range 6 East, a part of the Southeast Quarter of Section 5, Township 17 North, Range 6 East and a part of the Northeast Quarter of Section 5, Township 17 North, Range 6 East located in Fall Creek Township, Hamilton County, Indiana, being described as follows: BEGINNING at a stone with cross at the southeast corner of the Southwest Quarter of Section 5, Township 17 North, Range 6 East; thence South 89 degrees 54 minutes 33 seconds West (assumed bearing) 1314.03 feet to a 5/8" iron rod with yellow cap stamped S0083 marking the southwest corner of the east half of said Southwest Quarter; thence North 01 degree 01 minute 32 seconds East 2210.10 feet on and along the west line of said east half to a 5/8" iron rod with

yellow cap stamped S0083 marking the point of intersection of said west line and the south line of a 26 2/3 acre tract of real estate described in Deed Record 130, page 214 and recorded as Instrument #1039; thence North 89 degrees 49 minutes 41 seconds East 4.08 feet to a J/8" iron rod with yellow cap stamped S0083 marking the southeast corner of said 26 2/3 acre tract; thence North 00 degrees 58 minutes 39 seconds East 440.00 feet parallel with the west line of said Southwest Quarter to a 5/8" iron rod with yellow cap stamped S0083 marking the northeast corner of said 26 2/3 acre tract, said 5/8" iron rod with yellow cap stamped S0083 being on the north line of said Southwest Quarter at a point North 89 degrees 49 minutes 41 seconds East 1320.00 feet from the stone with + at the northwest corner of said Southeast Quarter; thence North 89 degrees 49 minutes 41 seconds East 1312.58 feet to a stone with + marking the center of said Section 5; thence North 01 degree 09 minutes 31 seconds East 331.83 feet to a 5/8" iron rod with yellow cap stamped S0083 marking the point of intersection of the west line of the Northeast Quarter of said Section 5 and the south bank of Fall Creek; the following 12 courses are included for closure purposes, the actual boundary line follows the south bank of Fall Creek (1.) thence South 89 degrees 23 minutes 50 seconds East 33.36 feet; (2.) thence North 82 degrees 06 minutes 22 seconds East 156.41 feet; (3.) thence North 57 degrees 41 minutes 19 seconds East 77.81 feet (4.) thence North 31 degrees 39 minutes 56 seconds East 144.20 feet; (5.) thence North 24 degrees 55 minutes 56 seconds East 100.00 feet; (6.) thence North 08 degrees 33 minutes 23 seconds West 173.65 feet; (7.) thence North 02 degrees 46 minutes 52 seconds West 145.02 feet; (8.) thence North 03 degrees 47 minutes 58 seconds East 229.48 feet; (9.) thence North 69 degrees 06 minutes 38 seconds East 95.53 feet; (10.) thence North 84 degrees 14 minutes 42 seconds East 162.35 feet; (11.) thence North 74 degrees 13 minutes 36 seconds East 234.81 feet; (12.) thence North 82 degrees 30 minutes 21 seconds East 249.57 feet; thence South 78 degrees 09 minutes 00 seconds East 231.06 feet to a point on the westerly right-of-way line of State Road #238 (as per Indiana Dept. of Highways Project S116 (1) 1969), the following 4 courses are on and along said westerly right-of-way line; (1.) thence South 13 degrees 03 minutes 40 seconds East 77.87 feet; (2.) thence South 16 degrees 28 minutes 55 seconds East 498.70 feet to a 5/8" iron rod with yellow cap stamped S0083; (3.) thence South 15 degrees 24 minutes 56 seconds East 300.17 feet to a 5/8" iron rod with yellow cap stamped S0083; (4.) thence South 35 degrees 18 minutes 29 seconds East 107.70 feet; thence North 76 degrees 29 minutes 36 seconds East 20.00 feet to a P.K. nail on the centerline of said State Road #238; the following 5 courses are on and along the centerline of said State Road #238 (1.) thence South 13 degrees 40 minutes 51 seconds East 311.34 feet to a P.K. nail marking the point of curvature of a curve to the left, said point of curvature being South 76 degrees 19 minutes 09 seconds West 2423.00 feet from the radius point of said curve; (2.) thence southeasterly 189.90 feet on and along said curve to the left to a P.K. nail marking the point of tangency of said curve, said point of tangency being South 71 degrees 49 minutes 43 seconds West 2423.00 feet from the radius point of said curve; (3.) thence South 18 degrees 10 minutes 17 seconds East 288.65 feet to a railroad spike; (4.) thence South 18 degrees 22 minutes 25 seconds East 367.28 feet to a P.K. nail; (5.) thence South 19 degrees 05 minutes 51 seconds East 9.92 feet to a P.K. nail marking the point of intersection of the centerline of State Road #238 and the centerline of Connecticut Avenue, the following 3 courses are on and along the centerline of Connecticut Avenue; (1.) thence South 46 degrees 04 minutes 49 seconds West 1875.29 feet; (2.) thence South 46 degrees 33 minutes 12 seconds West 557.13 feet; (3.) thence South 46 degrees 54 minutes 07 seconds West 258.05 feet to the point of intersection of the centerline of Connecticut Avenue and the south line of the Southeast Quarter of said Section 5; thence South 89 degrees 53 minutes 45 seconds West 72.60 feet to the POINT OF BEGINNING. Containing 193.40 acres, more or less and being subject to all applicable easements and rights-of-way of record.

ALSO INCLUDING:

Property located in Hamilton County:

The Northeast Quarter of the Northeast Quarter of Section 8, Township 17 North, Range 6 East, containing 40 acres, more or less.

ALSO INCLUDING:

Thirty (30) acres of uniform width off of the East side of the Northwest Quarter of the Northeast Quarter of Section 8, Township 17 North, Range 6 East.

Excepting therefrom that portion of the above described real estate as set out in a Warranty Deed recorded October 21, 2004 as Instrument No. 200400072995 and more particularly described as follows:

A part of the Northeast Quarter of the Northeast Quarter of Section 8, Township 17 North, Range 6 East, Hamilton County, Indiana, described as follows: Beginning at the Northeast corner of said Quarter Section; thence South 00 degrees 29 minutes 58 seconds East 7.044 meters (23.11) along the East line of said Quarter Section; thence North 44 degrees 58 minutes 23 seconds West 9.836 meters (32.27 feet) to the North line of said Quarter Section; thence North 89 degrees 17 minutes 22 seconds East 6.891 meters (22.61 feet) along the said North line to the point of beginning and containing 0.006 acres, more or less.

ALSO INCLUDING:

A PART OF THE NORTHEAST QUARTER OF SECTION 8, TOWNSHIP 17 NORTH, RANGE 6 EAST, LOCATED IN FALL CREEK TOWNSHIP, HAMILTON COUNTY, INDIANA, AND BEING DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF THE SOUTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE NORTH 00 DEGREES 27 MINUTES 41 SECONDS WEST (ASSUMED) ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER -QUARTER 311.15 FEET TO THE "POINT OF BEGINNING; THENCE CONTINUING NORTH 00 DEGREES 27 MINUTES 41 SECONDS WEST ALONG SAID WEST LINE 1,020.09 FEET TO THE NORTHWEST CORNER OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER; THENCE NORTH 89 DEGREES 15 MINUTES 00 SECONDS EAST ALONG NORTH LINE OF SAID SOUTHEAST QUARTER-QUARTER 1,321.27 FEET TO THE NORTHEAST CORNER OF SAID SOUTHEAST QUARTER — QUARTER; THENCE SOUTH 00 DEGREES 30 MINUTES 16 SECONDS ALONG EAST LINE OF SAID SOUTHEAST QUARTER-QUARTER 1,329.88 TO THE SOUTHEAST CORNER OF SAID NORTHEAST QUARTER; THENCE SOUTH 89 DEGREES 11 MINUTES 28 SECONDS WEST ALONG SOUTH LINE OF SAID QUARTER SECTION 1,182.24 FEET TO A POINT 140.00 FEET EAST OF THE SOUTHWEST CORNER OF THE SOUTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE NORTH 00 DEGREES 27 MINUTES 41 SECONDS WEST PARALLEL TO THE WEST LINE OF SAID SOUTHEAST QUARTER —QUARTER 311.15 FEET; THENCE SOUTH 89 DEGREES 11 MINUTES 28 SECONDS WEST PARALLEL TO THE SOUTH LINE OF SAID SOUTHEAST QUARTER —QUARTER 140.00 FEET TO THE POINT OF BEGINNING; CONTAINING 39.37 ACRES, MORE OR LESS.

ALSO INCLUDING:

PART OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 8, TOWNSHIP 17 NORTH, RANGE 6 EAST, IN FALL CREEK TOWNSHIP, HAMILTON COUNTY, INDIANA, TO WIT:


BEGINNING AT THE SOUTHWEST CORNER OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 8, TOWNSHIP 17 NORTH, RANGE 6 EAST AND RUNNING THENCE NORTH ON AND ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER OF THE NORTHEAST QUARTER A DISTANCE OF 311.15 FEET; THENCE EAST 140 FEET; THENCE SOUTH 311.15 FEET TO THE SOUTH LINE OF SAID SOUTHEAST QUARTER OF THE NORTHEAST QUARTER; THENCE WEST 140 FEET TO THE PLACE OF BEGINNING.

PROPERTY ADDRESS: 16500 E. 10 IST STREET, FORTVILLE, IN 46040

VERMILLION



for Republic Development LLC
378 Acres +
Date: July 13, 2017

EXHIBIT B - OPTION 1



LEGEND

- AREA A = ACTIVE ADULT/EMPTY NESTER
- AREA B = SINGLE FAMILY LOTS
- AREA C = SINGLE FAMILY LOTS
- AREA D = SINGLE FAMILY LOTS
- AREA E = SINGLE FAMILY LOTS



WEIHE
ENGINEERS

10505 N. College Avenue
Indianapolis, Indiana 46280
weihe.net
317 | 846 - 6611


EAST 101ST STREET

REPUBLIC
DEVELOPMENT

VERMILLION


for Republic Development LLC
 378 Acres +
 Date: July 13, 2017

EXHIBIT B - OPTION 2



LEGEND



- AREA A = ACTIVE ADULT/EMPTY NESTER
- AREA B = SINGLE FAMILY LOTS
- AREA C = SINGLE FAMILY LOTS
- AREA D = SINGLE FAMILY LOTS
- AREA E = SINGLE FAMILY LOTS



VERMILLION

for Republic Development LLC
378 Acres +
Date: May 30, 2017

EXHIBIT C



SCALE: 1" = 750'
0 375 750

WEIHE
ENGINEERS

10505 N College Avenue
Indianapolis, Indiana 46280
weihe.net
317|846-6611

EAST 101ST STREET

REPUBLIC
DEVELOPMENT


Exhibit D

Architectural Elements

Victorian


- Fishscale or shake siding accents where appropriate
- Decorative porch column bases
- Porch railing
- Style specific window grids
- Architecturally specific window trims
- Decorative brackets at eaves/cornices
- “Eyebrow” roof returns with detailed cornice
- Dormers
- Bay or box-bay windows
- Masonry water table

Victorian Images




Decorative porch columns

Fishscale



Style specific grids & window trim

Bay or box-bay windows



Architecturally specific window trims

Masonry water table

Specific style window grids

Porch railings


Victorian Images



Decorative brackets at eaves/ cornices



Bay or box-bay window



"Eyebrow" roof returns with detailed cornice



Dormers


Masonry water table

Architectural Elements


Arts & Crafts/Craftsman

- Shake siding or horizontal siding
- Board & Batten siding accents
- Board and Batten shutters
- Eave and or ridge brackets or corbels or exposed rafter tails or decorative beams
- Architecturally specific window trims and/or grid patterns
- Masonry based porch columns
- Wide eave overhangs
- Low pitched front gables
- Dormers (gabled or shed roof)
- Masonry water table
- Corbels or similar brackets at gable peaks

Arts & Crafts/Craftsman Images




Board & Batten shutters



Dormers (gabled or shed roof)



Eave brackets and or corbels



Architecturally specific window trims and/or grid patterns


Arts & Crafts/Craftsman Images



Low pitched front gables

Wide eave overhangs

Architecturally specific window grids



Masonry based porch columns




Architectural Elements

English Revival/Tudor

- Synthetic “stucco-finished” panels with trim
- Masonry arches at porch entryways
- Board and Batten shutters
- Decorative Brackets at cantilevered areas
- Mixture of hip and gable roof systems
- Dormers (gabled or shed roof)
- Steeply pitched front gable(s)
- Varied eave line heights
- Bay or box-bay windows
- Masonry water table


English Revival/Tudor Images



Masonry arches



Steeply pitched front gable(s)




Synthetic stucco panels



English Revival/Tudor Images



Mixture of roof systems



Decorative bracket and gable



Bay or box-bay window


Masonry water table

Architectural Elements



Farmhouse

- Masonry water table
- Gable treatments of Board and Batten or shake siding
- Board and Batten or paneled shutters
- Simplistic Porch columns that accentuate the clean lines of the architectural style
- Large expansive front porch
- Canopy roofs
- One or more front gables
- Dormers (gabled or shed roof)
- Wood wrapped windows (with ornate mantel)


Farmhouse Images



Paneled or board and batten shutters




Canopy roof



Wood wrapped windows

Farmhouse Images




Board & batten gable treatments



Masonry water table



Simplistic porch columns



Dormers

One or more front gable(s) | Large, expansive front porch

Architectural Elements


French Country

- Masonry arches at porch entry
- Mixture of steeply pitched hip or gable roof systems
- Decorative brackets at eaves or ridges
- Shake or Board & Batten siding on 2nd level of two-story homes
- Dormers (curved-top or through-the-cornice)
- Masonry window surrounds
- Juliette balconies
- Board and Batten shutters
- Box-bay windows
- Masonry water table


French Country Images





Mix of steeply pitched hip or gable roof system



Masonry water table



Masonry arches



French Country Images



Board and batten shutters

Decorative brackets

Box-bay windows

Masonry arches



French Country Images

Dormers
(curved
top of
through-
the-
cornice)



Juliette
balcony






Masonry window surrounds

Architectural Elements

Shingle


- Large square porch columns
- Mixture of hip and gable roof systems
- Use of oval or round windows at gables
- Stone veneer or masonry water table
- Asymmetrical façade with steeply pitched front gables
- Dormers (gabled or shed roof)
- Minimum two or more non-masonry wall cladding materials (Board & Batton, horizontal siding, shake siding, etc.)
- Strips of three or more windows in progression

Shingle Images



Shingle Images

Mixture
of roof
styles



Oval
windows

Water
Table



Large
porch
columns



Architectural Elements

Prairie/American Foursquare

- Low-pitched hip or gable roof
- Wide eave overhangs
- Bracketed eaves or large detailed cornices
- Varied eave line heights, strong horizontal elements
- Dormers (hipped, gabled, or shed roof)
- Style-specific window trims/grid patterns
- Masonry water table
- Masonry based porch columns or entry element
- Full or partial front porch

Prairie/American Foursquare

Low pitched hip or gable roofs



Wide eave overhangs

Masonry water table



Masonry water table

Strong horizontal lines




Varied eave heights

Bracketed eaves

Prairie/American Foursquare



Style specific window trim/grid pattern



Dormers



Full or partial front porch

Architectural Elements

Italianate/Second Empire

- Decorative brackets at eaves/cornices
- Dormers (gabled, curved-top, or hipped)
- Bay or box-bay windows
- Standing-seam metal roofing at porches, canopies, or bay windows
- Masonry water table
- Curved or hooded window top treatments
- Decorative porch column/bases

Italianate/Second Empire Images



Decorative brackets at eaves/cornice



Curved or hooded window top treatments



Masonry water table



Decorative porch column/base

Dormer

Bay or box-bay window

Architectural Elements

American Traditional (Colonial, Georgian, Greek Revival)

- Closed (pedimented front gable(s) with wide trim bands at gable and/or cornice
- Full or partial entry porch with prominent columns
- Wide frieze detailing
- “Eyebrow” or pent roof returns
- Arched or peaked window top treatments
- Bay or box-bay windows
- Masonry water table
- Decorative brackets at eaves/cornices/gable peaks
- Paneled, or batten, or louvered shutters
- Dormers (gabled or curved-top)
- Masonry column bases
- Multiple reverse gable roof system

American Traditional Images



Eyebrow or pent roof

Closed/pedimented front gable

Masonry based columns



Bay or box-bay window

Arched or peaked window top treatments

Wide frieze detailing



Paneled, batten or louvered shutters



Multiple reverse gables

Full or partial entry porch with prominent columns

American Traditional Images



Dormers






Exhibit E

Vermillion Anti-Monotony Code

1. Brick and siding color combinations may not be duplicated for two homesites on each side of the residence on the same side of the street. Also, brick and siding color combinations may not be duplicated for three houses across the street from a residence. (Please refer to the illustration below).



2. Front elevations of the same plan may not be duplicated for two homesites on each side of the residence on the same side of the street. Also, elevations for the same plan may not be duplicated for five houses across the street from the residence. (Please refer to the illustration below).









Exhibit F

Example: Decorative Garage Doors with Windows



Exhibit F-1


**Example: Decorative Garage Doors
with Windows**



VERMILLION

for Republic Development LLC
378 Acres +
Date: May 30, 2017


EXHIBIT G



VERMILLION

for Republic Development LLC
378 Acres +
Date: May 30, 2017

EXHIBIT H



LEGEND

- AREA A = ACTIVE ADULT/EMPTY NESTER
- AREA B = SINGLE FAMILY LOTS
- AREA C = SINGLE FAMILY LOTS
- AREA D = SINGLE FAMILY LOTS
- AREA E = SINGLE FAMILY LOTS

Identified home-sites
located in Area E.

WEIHE
ENGINEERS

10505 N. College Avenue
Indianapolis, Indiana 46280
weihe.net
317 846-6611


EAST 101ST STREET

REPUBLIC
DEVELOPMENT

VERMILLION

for Republic Development LLC
 378 Acres +
 Date: May 30, 2017

EXHIBIT I



LEGEND

- AREA A = ACTIVE ADULT/EMPTY NESTER
- AREA B = SINGLE FAMILY LOTS
- AREA C = SINGLE FAMILY LOTS
- AREA D = SINGLE FAMILY LOTS
- AREA E = SINGLE FAMILY LOTS

Identified home-sites located in Area E referenced in footnote 5.

GATHERING SPOT

WEIHE
ENGINEERS

10505 N. College Avenue
 Indianapolis, Indiana 46280
 weihe.net
 317 846-6611


EAST 101ST STREET

REPUBLIC
DEVELOPMENT

FLAT FORK / VERMILLION


REPUBLIC DEVELOPMENT
 13578 E. 131st Street, Ste. 200
 Fishers, IN 46037
 (317) 770 - 1818
<http://www.republic-dev.com>
 March 28, 2017
 Subject to Change

EXHIBIT J



The following Lots,
 and other Lots of
 similar character,
 shall not constitute
 corner lots: 112, 113,
 125, 128, 305, 334,
 337, 342, 345, 449,
 450, 453.



CITY COUNCIL STAFF REPORT

DEPARTMENT CONTACT:

Megan Schaefer, Department of Planning & Zoning, One Municipal Drive, Fishers, IN. 46038 T: (317) 588-1431 EMAIL: schaferm@fishers.in.us

DOCKET NUMBER:

Ord. No. 122120G, TA-20-3

PETITIONER/PROPERTY OWNER:

Weihe Engineers on behalf of North CD Inc

MEETING DATE:

February 15, 2021

PROPERTY ADDRESS/LOCATION:

0 Connecticut Ave

SPECIFIC REQUEST: Request to approve a Text Amendment to the Vermillion PUD Ordinance concerning the use and development of real estate in Woods at Vermillion Section 4

SIZE OF PROPERTY: 13.28 acres

EXISTING ZONING: PUD-R

EXISTING LAND USE: Vacant Land

PROJECT SUMMARY: Request to approve a Text Amendment to the Vermillion PUD Ordinance concerning the use and development of real estate in Woods at Vermillion Section 4 for the following text:

- 1.1 An exception from Section D Minimum Front Yard Setback of 30': Lots numbered 288, 289, 291, 292, 297, and 300 in Woods at Vermillion, Sec. 4 shall have a front yard setback of 20'.

LOCATION MAP:



STAFF RECOMMENDATION

<input checked="" type="checkbox"/> APPROVE	<input type="checkbox"/> APPROVE WITH CONDITIONS	<input type="checkbox"/> DENY	<input type="checkbox"/> CONTINUE
---	--	-------------------------------	-----------------------------------

ATTACHMENTS

- | | |
|--|--|
| <input type="checkbox"/> SUBMITTED PLANS | <input type="checkbox"/> LEGAL NOTICE |
| <input type="checkbox"/> PUBLIC COMMENTS | <input type="checkbox"/> AGENCY COMMENTS |
| <input type="checkbox"/> OTHER | <input type="checkbox"/> LEGAL DESCRIPTION |

PETITION HISTORY:

City Council First Reading took place on 12/21/2020. No comments were made during the First Reading.

Plan Commission held a Public Hearing on 2/3/2021. No comments from the public were received. Plan Commission send a favorable recommendation to City Council.

PETITION OVERVIEW:

The subject site is generally located southwest of the intersection of Connecticut Avenue and Southern Parkway and is considered Woods at Vermillion Section 4 of the Vermillion PUD; commonly known as the Woods at Vermillion Subdivision. The petitioner is seeking approval of a text amendment to the Vermillion PUD ordinance for Woods at Vermillion Section 4 and is seeking approval for the following:

- 1.1 An exception from Section D Minimum Front Yard Setback of 30': Lots numbered 288, 289, 291, 292, 297, and 300 in Woods at Vermillion, Sec. 4 shall have a front yard setback of 20'.

STAFF COMMENTS:

Staff acknowledge the unique circumstances of this project that follow requirements for grading imposed by the Army Corps of Engineers, and support this text amendment as it is within the spirit of the ordinance.

-
- ATTACHMENTS:**
- 1) Resolution
 - 2) Petitioner's Packet